

Save your professional self!

Are you ready to seek treatment?

LTB 2026 Live Session!

Tuesday, October 13, 2026 | 3:00–4:00 PM EST
Recorded for Post-Conference Viewing

Dwight EA Thompson, FD MSW RSW RMFT-S
Class 2 Funeral Director & Registered Trauma Therapist


Only the slide deck was made using AI; the content of the presentation was developed by the presenter and in line with current evidence informed research on the nature of burnout and career exhaustion!

The Silent Burden of the Last Responder

Occupational trauma in death care is a biological reality, vastly exceeding national averages.

Research tells that our profession has an unusually high number of professionals at risk for developing PTSD or Secondary Traumatic Stress.

Learning Objectives: To (basically) help you figure out when you need help and how to find that help!



Stoicism - our ability to detach and remain professional is our greatest strength and ally, but it can also become **our point of vulnerability**.

The Mourning Suit

Cultural expectation of unwavering emotional composure.

Constant performance of high-stakes emotional labor.

The requirement to absorb and manage complex family dynamics in crisis.



The Allostatic Load


Suppression of trauma inevitably leads to internalized distress.

Pattern maintenance socializes practitioners into delayed grief reactions.

The body keeps the score: unexpressed emotion becomes somatic burden.

Hidden Physiological Indicators: The Body's Ledger

If you won't listen to your mind, listen to your nervous system.



Brain & HPA Axis: Cortisol Spikes. Constant hypervigilance and traumatic removals keep the nervous system in a state of high physiological alert. (Includes Olfactory/Auditory Flashbacks).


The Jaw: 91% report severe jaw clenching and tension.

The Heart: Decreased Heart Rate Variability (HRV). The nervous system loses its ability to bend without breaking, signaling impending burnout.

Lower Back: 100% report chronic muscle tension and back strain, exacerbated by the physical ergonomics of restorative art and prep-room challenges.

Hidden Relational Indicators

90% of surveyed funeral professionals report their closest relationships are impacted by their work.



Objective Measurement: The ProQOL Assessment

We can measure the cost of caring...



Compassion Satisfaction

The positive effects and fulfillment derived from helping individuals in crisis.

Burnout

Emotional and physical exhaustion from prolonged, repeated, and unmanaged structural stress (unpredictable hours, heavy grief).


Secondary Traumatic Stress (STS)

The physical, behavioral, and emotional impact of indirect trauma exposure (parallel to PTSD).

The ProQOL identifies the exact moment standard emotional fatigue transitions into clinical pathology.

Measuring Resilience: The PTGI

Exposure to death doesn't just break us; with proper processing, it forces profound growth.



Vicarious Posttraumatic Growth (VPTG) is the ultimate goal of a sustainable death care career.

Therapy facilitates the migration from **Secondary Traumatic Stress** to VPTG.

The Trap: The Danger of Generalist Therapy

Why past therapy attempts may have failed—and why it was a provider mismatch, not a personal failure.

Diagnostic Dimension	Generalist Clinician	Last Responder Certified Specialist
Vocabulary & Context	Wastes 30 mins per session learning basic terms (removals, restorative wax, first call).	Speaks the language of the prep room; immediate contextual understanding.
Assessment Focus	Confuses occupational armor with general anxiety or depression. Pathologizes stoicism.	Targets Secondary Traumatic Stress, HPA axis dysregulation, and occupational burnout.
Clinical Goal	Aims for a return to a baseline that doesn't exist in death care.	Aims for Vicarious Posttraumatic Growth and professional sustainability.

Connecting with Informed Care

You wouldn't hire a plumber to fix an electrical grid. Demand a culturally competent provider.



Find clinicians explicitly trained in the neurobiochemical markers of Last Responder trauma, the physical ergonomics of mortuary work, and the complex emotional labor of grief care.

The Somatic Blueprint: Next Steps

Transforming therapy from a crisis intervention into an occupational sustainability tool.



1. Reframe

Acknowledge that stoicism is a temporary tool, not a permanent biological state. Seeking treatment is an act of professional preservation.



2. Assess

Take your physiological and relational inventory today. Do not ignore the jaw tension, the back strain, or the self-silence at home.



3. Connect

Access the Last Responder Certified directory. Save the URL in your phone before you leave this session.

funeralpeersupport.ca/therapistdirectory

Directory Access and Peer Support Warmline